



PERFORMANCE CURVES

DL1





PERFORMANCE TABLE

DL1



MODEL	POWER		CAPACITY										
	3 Phase 380V 50Hz	kW	HP	m ³ /h	0.4	0.6	0.8	1.0	1.2	1.4	1.6	1.8	2.0
				l/min	6.7	10	13.3	16.7	20	23.3	26.7	30	33.3
DL1-20	0.37	0.5	Head (m)	13	12.5	12	11.5	11	10.5	10	9.5	9	
DL1-30	0.37	0.5		18	17.5	17	16.5	16	15.5	15	14.5	14	
DL1-40	0.37	0.5		24	23.5	23	22.5	22	21.5	21	20	19	
DL1-50	0.37	0.5		30	29.5	29	28.5	28	27	26	25	24	
DL1-60	0.37	0.5		36	35.5	35	34	33	32	31	30	28	
DL1-70	0.37	0.5		42.5	42	41	40	39	38	37	35	33	
DL1-80	0.55	0.75		48.5	47	46	45	44	43	42	40	38	
DL1-90	0.55	0.75		54.5	54	53	52	50	49	47	45	43	
DL1-100	0.55	0.75		60.5	60	59	57.5	56	54	52.5	50	47	
DL1-110	0.55	0.75		67	65.5	64	62.5	61	60	57.5	55	52	
DL1-120	0.75	1.0		73	71.5	70	68.5	67	65	63	60	56	
DL1-130	0.75	1.0		79	77.5	76	74.5	72	70.5	68	65	61	
DL1-140	0.75	1.0		85	83	81	79	78	76	73.5	70	66	
DL1-150	0.75	1.0		91	89	87	85	83	81	79	75	71	
DL1-170	1.1	1.5		103	101	99	97	94	92	89	85	80	
DL1-190	1.1	1.5		115	113	111	109	106	103	99.5	95	90	
DL1-210	1.1	1.5		127	125	123	121	117	114	110	105	99	
DL1-230	1.1	1.5		139	137	135	133	128	125	120	115	108	
DL1-250	1.5	2.0		151	149	146	144	140	136	131	125	118	
DL1-270	1.5	2.0		163	161	158	156	150	147	141	135	127	