

SVM12




SVM12




Performance table

Model	Associated motor(kW)	Q (m ³ /h)	7	8	9	10	11	12	13	14	15	16
SVM12-20	1.5	H (m)	23.5	23	22.5	22	21	20	18.5	17	15.5	14
SVM12-30	2.2		35.5	35	34	33	31.5	30	28	26	23.5	21
SVM12-40	3		47	46	45	44	42	40	37	34	31	28
SVM12-50	3		59.5	58	56.5	55	52.5	50	46.5	43	39	35
SVM12-60	4		71.5	70	68	66	63	60	56	52	47	42
SVM12-70	5.5		83.5	82	79.5	77	73.5	70	65.5	61	55	49
SVM12-80	5.5		95.5	94	91	88	84	80	75	70	63	56
SVM12-90	5.5		108	106	103	100	95.5	91	85	79	71.5	64
SVM12-100	7.5		120	118	114.5	111	106	101	94.5	88	80	72
SVM12-120	7.5		143.5	141	137	133	127	121	113.5	106	96	86
SVM12-140	9.2		168	165	160	155	148	141	132.5	124	112	100
SVM12-160	11		192.5	189	183.5	178	170	162	152	142	128.5	115
SVM12-180	11		217	213	207.5	202	192.5	183	171.5	160	145	130

Performance curves




Size & Weight



SVM10

Model	Size(mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVM10-20	347	245	592	170	142	32
SVM10-30	377	245	722	170	142	34
SVM10-40	417	290	707	190	155	40
SVM10-50	447	290	737	190	155	44
SVM10-60	477	290	767	190	155	45
SVM10-70	517	345	862	197	165	52
SVM10-80	547	345	892	197	165	53
SVM10-90	577	345	922	197	165	54
SVM10-100	607	355	962	230	185	64
SVM10-120	667	355	1022	230	185	66
SVM10-140	747	390	1137	260	210	81
SVM10-160	807	390	1197	260	210	82
SVM10-180	867	390	1257	260	210	93
SVM10-200	927	390	1317	260	210	94
SVM10-220	987	390	1377	260	210	95

Installation drawing



SVM12

Model	Size(mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVM12-20	367	290	657	190	155	39
SVM12-30	397	290	687	190	155	43
SVM12-40	437	345	782	197	165	51
SVM12-50	467	345	812	197	165	53
SVM12-60	497	355	852	230	188	61
SVM12-70	547	390	937	260	208	73
SVM12-80	577	390	967	260	208	74
SVM12-90	607	390	997	260	208	76
SVM12-100	637	390	1027	260	208	83
SVM12-120	697	390	1087	260	208	87
SVM12-140	757	390	1147	260	208	108
SVM12-160	905	500	1405	330	255	161
SVM12-180	965	500	1465	330	255	164