



PERFORMANCE CURVES

DL3





PERFORMANCE TABLE

DL3



MODEL	POWER		CAPACITY									
	kW	HP	m ³ /h	1.2	1.6	2.0	2.4	2.8	3.0	3.2	3.6	4.0
3 Phase 380V 50Hz				l/min	20	26.7	33.3	40	46.7	50	53.3	60
DL3-20	0.37	0.5	Head (m)	12	11.5	11	10.5	10	9.5	9	7.5	6
DL3-30	0.37	0.5		18	17	16.5	15.5	15	14	13	11	9
DL3-40	0.37	0.5		24.5	23	22.5	21	20	18.5	17	15	12
DL3-50	0.37	0.5		30	29	28	26.5	25	23	21	19	15
DL3-60	0.55	0.75		37	35	34	32	30	28	26	23	18
DL3-70	0.55	0.75		43	41.5	40	37	35	33	31	27	21
DL3-80	0.75	1.0		49	47.5	46	42.5	40	38	36	31	25
DL3-90	0.75	1.0		55	53	51.5	48	45	43	41	35	28
DL3-100	0.75	1.0		61	59	56.5	53	50	47	44	38	31
DL3-110	0.75	1.0		67	64.5	62	58	55	52	48	42	34
DL3-120	1.1	1.5		73	70	68	63.5	60	57	53	46	37
DL3-130	1.1	1.5		79	76	74	69	65	62	58	50	40
DL3-150	1.1	1.5		92	88	86	80	75	71	67	58	46
DL3-170	1.5	2.0		103	100	97	90	85	81	76	65	52
DL3-190	1.5	2.0		116	112	108	101	95	90	85	73	58
DL3-210	2.2	3.0		128	124	120	112	105	100	94	81	65
DL3-230	2.2	3.0		140	135	131	122	115	110	103	89	71
DL3-250	2.2	3.0		152	147	142	133	125	120	111	97	77
DL3-270	2.2	3.0	165	159	154	144	135	129	120	105	84	