ROTORFLO


TYPICAL AVERAGE PUMP PERFORMANCE

TESTED ON WATER AT 20 °

INLET/OUTLET - Ø**25**

R21S

ROTORFLO



						12	11	10	9	MAX PRESSURE (BAR)
90	50	35	23	17	13	10	7.5	5.5	3.5	MAX VISCOSITY (POISE)
	1.6		2.3		3		3.9		6	NPSHR (METRE)


DRAWN KP	CHECKED HvT	REVISION 1	CURVE NO. C201
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	

ROTORFLO

TYPICAL AVERAGE PUMP PERFORMANCE
TESTED ON WATER AT 20 °
INLET/OUTLET - Ø25

R21L

ROTORFLO



						10	9	8	7	MAX PRESSURE (BAR)
90	50	35	23	17	13	10	7.5	5.5	3.5	MAX VISCOSITY (POISE)
	1.6		2.3		3		3.9		6	NPSHR (METRE)


DRAWN KP	CHECKED HvT	REVISION 0	CURVE NO. C202
DATE 20/10/96	DATE 20/10/96	DATE 8/11/00	

ROTORFLO

TYPICAL AVERAGE PUMP PERFORMANCE
TESTED ON WATER AT 20 °
INLET/OUTLET - Ø**40**

R22S

ROTORFLO



						10	9	8	7	MAX PRESSURE (BAR)
500	280	170	110	80	60	40	25	15	9	MAX VISCOSITY (POISE)
	16		2.3		3		3.9		6	NPSHR (METRE)

DRAWN KP	CHECKED HvT	REVISION 1	CURVE NO. C203
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	

ROTORFLO


TYPICAL AVERAGE PUMP PERFORMANCE

TESTED ON WATER AT 20 °

INLET/OUTLET - Ø**40**


R22L

ROTORFLO




DRAWN KP	CHECKED HvT	REVISION 1	CURVE NO. C204
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	

ROTORFLO	TYPICAL AVERAGE PUMP PERFORMANCE TESTED ON WATER AT 20 ° INLET/OUTLET - Ø40	R23S ROTORFLO



DRAWN KP	CHECKED HvT	REVISION 1	CURVE NO. C205
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	

ROTORFLO	TYPICAL AVERAGE PUMP PERFORMANCE	R23L
	TESTED ON WATER AT 20 °	
	INLET/OUTLET - Ø40	
		ROTORFLO



DRAWN KP	CHECKED HvT	REVISION 1	CURVE NO. C206
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	

ROTORFLO


TYPICAL AVERAGE PUMP PERFORMANCE

TESTED ON WATER AT 20 °

INLET/OUTLET - Ø**40**

R31S

ROTORFLO




DRAWN KP	CHECKED HvT	REVISION 1	CURVE NO. C207
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	

ROTORFLO

TYPICAL AVERAGE PUMP PERFORMANCE
TESTED ON WATER AT 20 °
INLET/OUTLET - Ø**40**

R31L

ROTORFLO



DRAWN KP	CHECKED HvT	REVISION 1	CURVE NO. C208
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	

ROTORFLO


TYPICAL AVERAGE PUMP PERFORMANCE

TESTED ON WATER AT 20 °

INLET/OUTLET - Ø**50**

R32S

ROTORFLO



						10	9	8	7	MAX PRESSURE (BAR)
300	130	65	43	28	21	17	11	7	4	MAX VISCOSITY (POISE)
	1.5		2.1		2.8		3.6		5.5	NPSHR (METRE)

DRAWN KP	CHECKED HvT	REVISION 1	CURVE NO. C209
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	

ROTORFLO


TYPICAL AVERAGE PUMP PERFORMANCE

TESTED ON WATER AT 20 °

INLET/OUTLET - Ø**50**

R32L

ROTORFLO



							8	7	6	MAX PRESSURE (BAR)
300	130	65	43	28	21	17	11	7	4	MAX VISCOSITY (POISE)
	1.5		2.1		2.8		3.6		5.5	NPSHR (METRE)

DRAWN KP	CHECKED HvT	REVISION 0	CURVE NO. C210
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	

ROTORFLO


TYPICAL AVERAGE PUMP PERFORMANCE

TESTED ON WATER AT 20 °

INLET/OUTLET - Ø**65**

R33S

ROTORFLO



								6.5		6	MAX PRESSURE (BAR)
300	130	65	43	28	21	17	11	7	4	MAX VISCOSITY (POISE)
	1.6		2.3		3		3.9		6	NPSHR (METRE)

DRAWN KP	CHECKED HvT	REVISION 0	CURVE NO. C211
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	

ROTORFLO


TYPICAL AVERAGE PUMP PERFORMANCE

TESTED ON WATER AT 20 °

INLET/OUTLET - Ø**65**

R33L

ROTORFLO



								55	5	MAX PRESSURE (BAR)
300	130	65	43	28	21	17	11	7	4	MAX VISCOSITY (POISE)
	1.5		2.1		2.8		3.6		5.5	NPSHR (METRE)

DRAWN KP	CHECKED HvT	REVISION 0	CURVE NO. C212
DATE 01/07/05	DATE 01/07/05	DATE 01/07/05	