

SVM32

SVM32




Performance table


Model	Associated motor(kW)	Q (m ³ /h)	16	20	24	28	32	36	40
SVM32-10-1	1.5	H (m)	14	13	12	11	9	7	4
SVM32-10	2.2		18	17	15	14	13	11	8
SVM32-20-2	3.0		29	28	26	23	20	16	11
SVM32-20	4.0		36	34	32	29	27	23	18
SVM32-30-2	5.5		47	44	41	38	33	28	21
SVM32-30	5.5		54	51	48	44	40	35	27
SVM32-40-2	7.5		65	62	58	53	46	40	30
SVM32-40	7.5		72	69	65	59	53	47	37
SVM32-50-2	9.2		83	79	74	68	60	52	41
SVM32-50	9.2		90	86	81	74	67	59	47
SVM32-60-2	11		101	97	90	83	74	65	51
SVM32-60	11		108	104	97	90	81	72	57
SVM32-70-2	15		119	114	107	98	88	78	60
SVM32-70	15		126	121	113	105	95	85	67
SVM32-80-2	15		136	131	123	114	102	90	71
SVM32-80	15		144	138	130	120	109	97	77

Model	Associated motor(kW)	Q (m ³ /h)	16	20	24	28	32	36	40
SVM32-90-2	18.5	H (m)	154	148	140	129	117	102	82
SVM32-90	18.5		162	156	147	136	124	109	88
SVM32-100-2	18.5		175	166	157	146	131	115	91
SVM32-100	18.5		182	173	164	152	138	122	98
SVM32-110-2	22		193	184	173	164	146	128	102
SVM32-110	22		200	191	180	168	153	135	109
SVM32-120-2	22		211	201	189	178	160	140	113
SVM32-120	22		218	208	196	184	167	147	120
SVM32-130-2	26		230	218	206	193	174	153	124
SVM32-130	26		237	225	213	200	181	160	131
SVM32-140-2	26		247	235	222	210	189	165	135
SVM32-140	30		255	242	229	216	196	172	142
SVM32-150-2	30		266	253	239	224	203	178	145
SVM32-150	30		274	260	246	231	210	185	152
SVM32-160-2	30		284	270	255	240	218	190	156
SVM32-160	30		292	277	262	246	225	197	163

Performance curves



Size & Weight



SVM20


Model

Size(mm)

Weight
(kg)

Model	Size(mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVM20-10	387	245	632	170	142	33
SVM20-20	397	290	687	190	155	42
SVM20-30	452	355	807	230	188	58
SVM20-40	517	390	907	260	208	74
SVM20-50	562	390	952	260	208	76
SVM20-60	607	390	997	260	208	82
SVM20-70	652	390	1042	260	208	84
SVM20-80	697	390	1087	260	208	101
SVM20-100	875	500	1375	330	255	157
SVM20-120	965	500	1465	330	255	170
SVM20-140	1055	500	1555	330	255	172
SVM20-170	1190	550	1740	330	255	195

Size & Weight



SVM32

Model

Size(mm)

Weight
(kg)

Model	Size(mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVM32-10-1/SVM32-10	505	290	795	190	155	64/68
SVM32-20-2/SVM32-20	575	345/355	920/930	197/230	165/180	77/85
SVM32-30-2/SVM32-30	645	390	1035	260	208	100
SVM32-40-2/SVM32-40	715	390	1105	260	208	109
SVM32-50-2/SVM32-50	785	390	1175	260	208	125
SVM32-60-2/SVM32-60	960	500	1460	330	255	185
SVM32-70-2/SVM32-70	1030	500	1530	330	255	199
SVM32-80-2/SVM32-80	1100	500	1600	330	255	203
SVM32-90-2/SVM32-90	1170	550	1720	330	255	222
SVM32-100-2/SVM32-100	1240	550	1790	330	255	227
SVM32-110-2/SVM32-110	1310	575	1885	360	285	272
SVM32-120-2/SVM32-120	1380	575	1955	360	285	276
SVM32-130-2/SVM32-130	1450	575	2025	360	285	293
SVM32-140-2/SVM32-140	1520	575/650	2095/2170	360/400	285/310	298/341
SVM32-150-2/SVM32-150	1590	650	2240	400	310	345
SVM32-160-2/SVM32-160	1660	650	2310	400	310	350