



PERFORMANCE CURVES

DL64





PERFORMANCE TABLE

DL64



| MODEL | POWER | | CAPACITY | | | | | | |
|----------------------|-------|-----|----------|------|-----|------|------|------|------|
| | kW | HP | m³/h | 30 | 40 | 50 | 60 | 70 | 80 |
| 3 Phase 380V 50Hz | | | | I/S | 8.3 | 11.1 | 13.9 | 16.7 | 19.4 |
| DL64-10-1 | 4.0 | 5.5 | Head (m) | 19 | 18 | 16 | 14 | 12 | 9 |
| DL64-10 | 5.5 | 7.5 | | 27.5 | 26 | 24.5 | 23 | 20 | 17 |
| DL64-20-2 | 7.5 | 10 | | 40 | 38 | 34 | 30 | 28 | 19 |
| DL64-20-1 | 11 | 15 | | 47 | 45 | 41.5 | 38 | 32 | 26 |
| DL64-20 | 11 | 15 | | 55 | 52 | 49 | 46 | 39 | 34 |
| DL64-30-2 | 15 | 20 | | 67 | 64 | 57 | 53 | 45 | 35 |
| DL64-30-1 | 15 | 20 | | 73 | 69 | 65 | 58 | 52 | 43 |
| DL64-30 | 18.5 | 25 | | 80 | 76 | 72 | 65 | 60 | 50 |
| DL64-40-2 | 18.5 | 25 | | 92 | 87 | 81 | 72 | 64 | 54 |
| DL64-40-1 | 22 | 30 | | 100 | 94 | 88 | 80 | 72 | 59 |
| DL64-40 | 22 | 30 | | 107 | 101 | 95 | 86 | 80 | 68 |
| DL64-50-2 | 30 | 40 | | 121 | 114 | 105 | 97 | 85 | 70 |
| DL64-50-1 | 30 | 40 | | 128 | 121 | 112 | 104 | 93 | 78 |
| DL64-50 | 30 | 40 | | 136 | 129 | 119 | 112 | 100 | 84 |
| DL64-60-2 | 30 | 40 | | 150 | 143 | 132 | 122 | 107 | 89 |
| DL64-60-1 | 37 | 50 | | 157 | 149 | 140 | 129 | 114 | 95 |
| DL64-60 | 37 | 50 | | 164 | 156 | 145 | 132 | 121 | 104 |
| DL64-70-2 | 37 | 50 | | 180 | 172 | 162 | 145 | 130 | 108 |
| DL64-70-1 | 37 | 50 | | 187 | 180 | 165 | 153 | 135 | 115 |
| DL64-70 | 45 | 60 | | 193 | 183 | 175 | 160 | 143 | 122 |