

SVM200




SVM200



Performance table


Model	Associated motor(kW)	Q (m ³ /h)	100	120	140	160	180	200	220	240
SVM200-10-B	18.5	H (m)	25.5	25	24	23	21.5	20	18	15.5
SVM200-10-A	22		29	28.5	27.5	26.5	25.5	24	22	20
SVM200-10	30		38.5	38	37.5	36.5	35	34	32.5	30
SVM200-20-2B	37		53	51	49	47	44	41	37	32
SVM200-20-2A	45		59.5	58	56	54	52.5	49	44.5	40.5
SVM200-20-A	55		69	68	66	64	62	59	55.5	51
SVM200-20	55		78.5	77.5	76	74	71.5	69	66	61.5
SVM200-30-2B	75		91.5	89	86.5	83.5	79	75	70	63
SVM200-30-A-B	75		95	93	90	87	83.5	79	73.5	67
SVM200-30-2A	75		99.5	97.5	94.5	91.5	89	84	78.5	72
SVM200-30-B	75		104.5	102.5	100	97	93	89	84.5	77.5
SVM200-30-A	75		108	106	103.5	100.5	97.5	93	88	81.5
SVM200-30	90		117.5	116	113.5	110.5	107	103	99	92
SVM200-40-2B	90		131.5	129	125.5	121	115.5	110	103.5	94
SVM200-40-2A	110		138.5	136	132	128	124	118	111	102.5
SVM200-40-A	110		148	145.5	142.5	138	134	128	122	113
SVM200-40	110		157.5	155.5	152.5	148	143.5	138	132.5	123.5

SVM200



Size & Weight


Installation drawing



Size & Weight

SVM150 Model	Size(mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVM150-10-1	840	500	1340	330	255	230
SVM150-10	840	500	1340	330	255	235
SVM150-20-2	1000	550	1550	330	255	250
SVM150-20-1	1000	575	1575	360	285	295
SVM150-20	1000	575	1575	360	285	317
SVM150-30-2	1160	650	1810	400	310	360
SVM150-30-1	1160	650	1810	400	310	360
SVM150-30	1160	650	1810	400	310	385
SVM150-40-2	1320	685	2005	460	340	460
SVM150-40-1	1320	685	2005	460	340	460
SVM150-40	1350	760	2110	540	370	560
SVM150-50-2	1510	760	2270	540	370	570
SVM150-50-1	1510	845	2355	580	410	690
SVM150-50	1510	845	2355	580	410	690
SVM150-60-2	1670	845	2515	580	410	700
SVM150-60-1	1670	845	2515	580	410	700
SVM150-60	1670	845	2515	580	410	700

Installation drawing



Size & Weight

SVM200 Model	Size(mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVM200-10-B	907	550	1457	330	255	311
SVM200-10-A	907	575	1482	360	285	347
SVM200-10	907	650	1557	400	310	403
SVM200-20-2B	1101	650	1751	400	310	447
SVM200-20-2A	1101	685	1786	460	340	504
SVM200-20-A	1131	760	1891	540	370	595
SVM200-20	1131	760	1891	540	370	595
SVM200-30-2B	1325	845	2170	580	410	748
SVM200-30-A-B	1325	845	2170	580	410	748
SVM200-30-2A	1325	845	2170	580	410	748
SVM200-30-B	1325	845	2170	580	410	748
SVM200-30-A	1325	845	2170	580	410	748
SVM200-30	1325	895	2220	580	410	817
SVM200-40-2B	1519	895	2414	580	410	830
SVM200-40-2A	1519	1140	2659	645	550	1180
SVM200-40-A	1519	1140	2659	645	550	1180
SVM200-40	1519	1140	2659	645	550	1180