


TK65

1/2

Performance data




Model	Power		Q (m ³ /h)	5	10	15	20	25	30	35
	kW	HP								
TK65-36/2	5.5	7.5	H (m)	39.1	39.1	38.9	38.2	36	31.8	24.7
TK65-48/2	7.5	10		50.3	50.3	50	49.3	48	45.9	42.4

Installation dimensions & weight



Model	Dimensions (mm)										Weight (kg)
	D	B1	B2	B3	B4	B5	H1	H2	H3	L	
TK65-36/2	200	260	208	127	127	144	105	209	724	400	87
TK65-48/2	200	260	208	127	127	144	105	209	724	400	94

Performance curves




TK65

2/2

Performance data

Model	Power		Q (m ³ /h)	10	20	30	40	50	60	70	80	90
	kW	HP										
TK65-15/2	2.2	3	H (m)	17.8	17	15	10.7					
TK65-19/2	3	4		21.6	20.8	19	15.2					
TK65-22/2	4	5.5		25	24.7	23.9	22	17.5				
TK65-30/2	5.5	7.5		32.3	32.1	31.5	30	26.1				
TK65-34/2	7.5	10		38.5	38.2	37.6	36.4	34	29.6			
TK65-40/2	11	15		43.3	42.9	42.3	41.4	40	37.6			
TK65-50/2	15	20		53.5	53.3	52.7	51.6	50	47.3			
TK65-61/2	18.5	25		63	63.2	63	62.3	61	58.8	54.8		
TK65-67/2	22	30		67.9	67.8	67.7	67.5	67	65.8	63.4	59.7	
TK65-83/2	30	40		85.3	85.1	84.6	83.9	83	81.7	80	77.8	74.1

Installation dimensions & weight



Model	Dimensions (mm)										Weight (kg)
	D	B1	B2	B3	B4	B5	H1	H2	H3	L	
TK65-15/2	140	190	155	141	123	144	105	193	591	360	48
TK65-19/2	160	197	165	141	123	144	105	203	622	360	57
TK65-22/2	160	230	188	141	123	144	105	203	643	360	65
TK65-30/2	200	260	208	141	123	144	105	223	738	360	84
TK65-34/2	200	260	208	141	123	144	105	223	738	360	91
TK65-40/2	350	330	255	177	165	144	125	257	924	475	178
TK65-50/2	350	330	255	177	165	144	125	257	957	475	190
TK65-61/2	350	330	255	177	165	144	125	257	957	475	202
TK65-67/2	350	330	280	177	165	144	125	257	987	475	242
TK65-83/2	400	400	305	177	165	144	125	257	1047	475	298

Performance curves

