



Column Pipes

Size	Description	Pressure Rating
32mm	Standard pipe	25Bar
40mm	Standard pipe	26Bar
40mm	Heavy pipe	35Bar
50mm	Medium pipe	10Bar
50mm	Standard pipe	20Bar
50mm	Heavy pipe	27Bar
50mm	Super Heavy	35Bar
65mm	Medium pipe	10Bar
65mm	Standard pipe	16Bar
65mm	Heavy pipe	26Bar
65mm	Super Heavy	35Bar
80mm	Medium pipe	10Bar
80mm	Standard pipe	17Bar
80mm	Heavy pipe	26Bar
80mm	Super Heavy	35Bar
100mm	Medium pipe	10Bar
100mm	Standard pipe	15Bar
100mm	Heavy pipe	26Bar
100mm	Super Heavy	35Bar
125mm	Heavy pipe	26Bar
150mm	Heavy pipe	26Bar

- ✓ First company in the world to invent and develop uPVC Column pipes
- ✓ Available in over 50 countries
- ✓ Installed over 3 million borewell pumps
- ✓ None-Corrosive
- ✓ Lightweight
- ✓ Durable
- ✓ Chemical-resistant
- ✓ Patented "wire-lock" system



Accessories

Top Adaptors

Bottom Adaptors

Expanding Adaptors

Reducing Adaptors



- ✓ Top and Bottom Adaptors available in all sizes in mild steel or Stainless Steel
- ✓ Expander Adaptors, reducing Adaptors and thread converters also available in all sizes in Stainless Steel
- ✓ O-rings available in all sizes


ashirvad

by aliaxis

Borehole Casings - Solid

Size	Description	Installation Depth
100mm	Casing Medium	250m
115mm	Casing medium	250m
125mm	Casing Medium	80m
125mm	Casing Shallow	250m
150mm	Casing Shallow	80m
150mm	Casing Medium	250m
165mm	Casing Shallow	80m
165mm	Casing Medium	250m
175mm	Casing Shallow	80m
175mm	Casing Medium	250m
200mm	Casing Shallow	80m
200mm	Casing Medium	250m
250mm	Casing Shallow	80m
250mm	Casing Medium	250m

- ✓ High Joint Strength
- ✓ Light Weight = Easy Transportaion & Faster Installation
- ✓ No Electrolytic deposition & bacterial growth
- ✓ Non-Toxic
- ✓ Corrosion-Free



Solid vs Perforated borehole casings

Borehole Casings - Perforated

Size	Description	Installation Depth
100mm	Casing Medium	250m
115mm	Casing Medium	250m
125mm	Casing Medium	80m
125mm	Casing Shallow	250m
150mm	Casing Shallow	80m
150mm	Casing Medium	250m
165mm	Casing Shallow	80m
165mm	Casing Medium	250m
175mm	Casing Shallow	80m
175mm	Casing Medium	250m
200mm	Casing Shallow	80m
200mm	Casing Medium	250m
250mm	Casing Shallow	80m
250mm	Casing Medium	250m



* 3m Lengths

Locally Manufactured Borehole Casings ALL AVAILABLE IN 6m Lengths

CLASS

6

Size	Wall Thickness	Weight per 6m Length
110mm CL6	2.2 mm	6.9 kg
125mm CL6	2.5 mm	8.9 kg
140mm CL6	2.8 mm	11.2 kg
165mm CL6	3.2 mm	14.6 kg

CLASS

9

Size	Wall Thickness	Weight per 6m Length
110mm CL9	2.7 mm	8.4 kg
125mm CL9	3.1 mm	11.1 kg
140mm CL9	3.5 mm	14.2 kg
165mm CL9	4.0 mm	18.2 kg