

SVM4




SVM4




Performance table

Model	Associated motor(kW)	Q (m ³ /h)	1.5	2.0	3.0	4.0	5.0	6.0	7.0
SVM4-20	0.37	H (m)	19	18	17	15	13	10	8
SVM4-30	0.55		28	27	26	24	20	18	13
SVM4-40	0.75		38	36	34	32	27	24	19
SVM4-50	1.1		47	45	43	40	34	31	23
SVM4-60	1.1		56	54	52	48	41	37	28
SVM4-70	1.5		66	63	61	56	48	43	33
SVM4-80	1.5		74	72	70	64	55	50	38
SVM4-100	2.2		96	90	87	81	71	62	48
SVM4-120	2.2		114	108	104	95	85	75	58
SVM4-140	3.0		136	126	122	112	101	89	68
SVM4-160	3.0		152	144	140	129	115	101	78
SVM4-190	4.0		183	171	168	153	137	122	93
SVM4-220	4.0		211	200	192	178	160	138	108

Performance curves



Installation drawing




Size & Weight

SVM3

Model	Size(mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVM3-20	258	225	483	148	117	20
SVM3-30	276	225	501	148	117	20
SVM3-40	294	225	519	148	117	21
SVM3-50	312	225	537	148	117	21
SVM3-60	330	225	555	148	117	23
SVM3-70	348	225	573	148	117	24
SVM3-80	376	245	621	170	142	27
SVM3-90	394	245	639	170	142	28
SVM3-100	412	245	657	170	142	28
SVM3-110	430	245	675	170	142	29
SVM3-120	448	245	693	170	142	30
SVM3-130	466	245	711	170	142	31
SVM3-150	502	245	747	170	142	32
SVM3-170	548	290	838	190	155	38
SVM3-190	584	290	874	190	155	39
SVM3-210	620	290	910	190	155	42
SVM3-230	656	290	946	190	155	43
SVM3-250	692	290	982	190	155	44
SVM3-270	728	290	1018	190	155	45
SVM3-290	764	290	1054	190	155	46
SVM3-310	810	345	1155	197	165	54
SVM3-330	846	345	1191	197	165	55
SVM3-360	900	345	1245	197	165	57

SVM4



Model	Size(mm)					Weight (kg)
	B1	B2	B1+B2	D1	D2	
SVM4-20	276	225	501	148	117	21
SVM4-30	303	225	528	148	117	22
SVM4-40	340	245	585	170	142	25
SVM4-50	367	245	612	170	142	27
SVM4-60	394	245	639	170	142	27
SVM4-70	431	290	721	190	155	33
SVM4-80	458	290	748	190	155	33
SVM4-100	512	290	802	190	155	37
SVM4-120	566	290	856	190	155	38
SVM4-140	630	345	975	197	165	46
SVM4-160	684	345	1029	197	165	48
SVM4-190	765	355	1120	230	188	57
SVM4-220	846	355	1201	230	188	59