

SVM8




SVM8



Performance table


Model	Associated motor(kW)	Q (m ³ /h)	5	6	7	8	9	10	11	12
SVM8-20	0.75	H (m)	20	19.5	19	18	17	16	14	13
SVM8-30	1.1		30	29.5	28.5	27	25	24	21	19
SVM8-40	1.5		41	39.5	38	36	34	32	28	26
SVM8-50	2.2		52	50	48	45	42	40	36	32
SVM8-60	2.2		62	60	57	54	51	48	43	39
SVM8-80	3.0		83	80	77	73	69	65	58	52
SVM8-100	4.0		104	100	97	92	87	81	73	65
SVM8-120	4.0		124	120	116	111	104	92	87	78
SVM8-140	5.5		145	141	136	130	122	113	102	92
SVM8-160	5.5		166	161	156	148	139	130	118	106
SVM8-180	7.5		187	182	175	167	157	146	134	120
SVM8-200	7.5		208	202	195	186	175	163	150	135

Performance curves



Size & Weight


Installation drawing



Size & Weight

SVM5	Model	Size(mm)					Weight (kg)
		B1	B2	B1+B2	D1	D2	
	SVM5-20	276	225	501	148	117	21
	SVM5-30	303	225	528	148	117	22
	SVM5-40	330	225	555	148	117	23
	SVM5-50	367	245	612	170	142	25
	SVM5-60	394	245	639	170	142	26
	SVM5-80	448	245	693	170	142	27
	SVM5-100	512	290	802	190	155	33
	SVM5-120	566	290	856	190	155	37
	SVM5-140	620	290	910	190	155	38
	SVM5-160	674	290	964	190	155	39
	SVM5-180	738	345	1083	197	165	48
	SVM5-200	792	345	1137	197	165	49
	SVM5-220	846	355	1201	230	185	57
	SVM5-240	900	355	1255	230	185	58
	SVM5-260	954	355	1309	230	185	59
	SVM5-290	1035	355	1390	230	185	60
	SVM5-320	1136	390	1526	260	210	75
	SVM5-360	1244	390	1634	260	210	76

Installation drawing



Size & Weight

SVM8	Model	Size(mm)					Weight (kg)
		B1	B2	B1+B2	D1	D2	
	SVM8-20	347	245	592	170	142	32
	SVM8-30	377	245	622	170	142	34
	SVM8-40	417	290	707	190	155	40
	SVM8-50	447	290	737	190	155	44
	SVM8-60	477	290	767	190	155	45
	SVM8-80	547	345	892	197	165	53
	SVM8-100	607	355	962	230	188	64
	SVM8-120	667	355	1022	230	188	66
	SVM8-140	747	390	1137	260	208	81
	SVM8-160	807	390	1197	260	208	84
	SVM8-180	867	390	1257	260	208	93
	SVM8-200	927	390	1317	260	208	94