


TK200

1/2

Performance data




Model	Power		Q (m ³ /h)	90	120	150	180	210	240	270	300	330	360
	kW	HP											
TK200-15/4	18.5	25	H (m)	17.9	17.7	17.5	17.2	16.8	16.4	15.8	15	14.1	12.8
TK200-18/4	22	30		20.9	20.7	20.5	20.2	19.8	19.8	18.8	18	17.1	15.7
TK200-24/4	30	40		26	26	25.8	25.7	25.4	25.1	24.6	24	23.1	21.8
TK200-30/4	37	50		33.3	33.2	33	32.6	32.2	31.6	30.9	30	29	27.6
TK200-35/4	45	60		38.2	38.3	38.3	37.8	37.3	36.7	35.9	35	33.8	32.1
TK200-44/4	55	75		46.2	46.1	45.9	45.6	45.4	45	44.6	44	43.1	41.8
TK200-53/4	75	100		55.6	55.7	55.7	55.5	55.3	54.8	54	53	51.6	49.9

Installation dimensions & weight



Model	Dimensions (mm)										Weight (kg)
	D	B1	B2	B3	B4	B5	H1	H2	H3	L	
TK200-15/4	350	360	280	277	218	360	270	343	1188	1000	420
TK200-18/4	350	360	280	277	218	360	270	343	1218	1000	440
TK200-24/4	400	400	305	302	251	360	270	343	1313	1100	538
TK200-30/4	450	450	335	302	251	360	270	373	1348	1100	590
TK200-35/4	450	450	335	302	251	360	270	373	1373	1100	630
TK200-44/4	550	490	370	314	268	360	270	388	1423	1100	768
TK200-53/4	550	550	410	314	268	360	270	388	1486	1100	902

Performance curves




TK200

2/2

Performance data

Model	Power		Q (m ³ /h)	160	200	240	280	320	360	400	440	480
	kW	HP										
TK200-12.5/4	22	30	H (m)	17.1	16.9	16.5	15.9	15.1	14	12.5	10.7	7.9
TK200-20/4	30	40		24.5	24.4	24	23.6	22.8	21.7	20	17.5	14.1
TK200-23/4	37	50		28	27.8	27.4	26.8	25.9	24.8	23	20.9	18.1
TK200-27/4	45	60		32	31.7	31.2	30.5	29.6	28.4	27	24.9	22.4
TK200-32/4	55	75		37.4	37.1	36.5	35.7	34.7	33.3	32	29.9	27.6
TK200-43/4	75	100		46.9	46.7	46.4	45.9	45.3	44.4	43	41.1	38.5
TK200-50/4	90	120		52.8	52.8	52.6	52.2	51.7	51	50	48.3	45.4

Installation dimensions & weight



Model	Dimensions (mm)										Weight (kg)
	D	B1	B2	B3	B4	B5	H1	H2	H3	L	
TK200-12.5/4	350	360	280	277	218	360	270	343	1218	1000	440
TK200-20/4	400	400	305	277	218	360	270	343	1313	1000	506
TK200-23/4	450	450	335	302	251	360	270	373	1348	1100	589
TK200-27/4	450	450	335	302	251	360	270	373	1373	1100	630
TK200-32/4	550	490	370	302	251	360	270	373	1408	1100	720
TK200-43/4	550	550	410	314	268	360	270	388	1486	1100	900
TK200-50/4	550	550	410	314	268	360	270	388	1538	1100	970

Performance curves

